

B13R-7 / B15R-7 / B16R-7

7 SERIES FORKLIFTS

Electric 1.25 to 1.6 tonne capacity



Doosan Corporation Industrial Vehicle 02 7 Series Electric Forklifts _ 1,25 to 1.6 Tonne Series

Leading the way

The new 7 Series of 3 wheel electric counterbalance forklift trucks, continue to follow the core Doosan tradition of delivering simple, powerful performance, whilst most of all, delivering the best possible value for our customers.

The operator cab has been designed to provide a comfortable working position for the operator at all times, improving productivity and reducing stress and fatigue.

The new model offers the latest design in ergonomic hydraulic controls.

Thanks to an improved durable design, Doosan's new 7 Series electric trucks exceed the highest

The latest in AC control systems provide an unbeatable combination of power, performance and reliability. Each performance parameter is fully adjustable to suit each individual operators requirement, providing maximum control and accuracy for every function

Higher lifting and travel speeds help me to complete my job efficiently

PRODUCTIVITY

- Excellent visibility
- Smooth driving control
- Direction switch on main control valve







With the reassuring features of Doosan truck, operation is safe and comfortable

**

SAFETY AND ERGONOMICS

- Anti roll back
- Operator sensing system(OSS)
- Automatic speed control
- ISO3691 Hydraulic locking

The robustness of the Doosan truck gets the toughest of jobs done

"

DURABILITY

demands for safe operation.

- Reliable AC control
- Durable rear drive axle
- Durable Oil cooled disk brakes





The Doosan service support network has never let me down

"

SERVICEABILITY

- Doosan service network coverage
- Quick service response
- Easy to fix design

Doosan Corporation Industrial Vehicle 05 7 Series Electric Forklifts _ 1,25 to 1.6 Tonne Series

Features overview

Power, excellent performance, driving comfort, durability, and outstanding productivity will make this truck ideal for many applications.

DURABILITY

Reliable AC controller

Rugged and durable rear drive axle

ODB - Oil cooled disc brakes

Robust frame & overhead guard

PRODUCTIVITY

Excellent visibility

Smooth acceleration and braking

Direction switch on hydraulic control lever

Battery changing system (SRIO)

SERVICEABILITY

Worldwide service network

Doosan genuine parts

Easy to access controller room and electric parts

Examine forklift program with 'Easy view'

Rear drive axle maintenance free



ENHANCED SAFETY

Anti roll back

Automatic speed control

ISO3691 Hydraulic locking

OSS(Operator sensing system)

Moving front axle

Emergency switch

LED light

Large panoramic mirror

ADDITIONAL FEATURES

Easy and Instinctive display

Convenience tray

Compact steering wheel

Comfortable, adjustable seat

Adjustable steering column

Tortoise mode



The 7 Series provide smooth and reliable perofrmance across various work applications.

With the reliable AC controller and the optimized design, Doosan's new machine is designed to operate efficiently.





Reliable AC controller

Curtis AC controllers provide an unbeatable combination of power, performance and functionality.

The IP 65 rated controller is very reliable and well proven in tough applications.



Rugged and Durable Rear Drive Axle

The rear drive axle is controlled by an integrated drive controller which effectively transfers the power and torque of the drive motor to the final drive for smooth and quite operation. The axle is maintenance free



AC drive & hydraulic motors

Maintenance free electric motors by eliminating motor brushes and commutators.



ODB (Oil cooled Disk Brake)

Virtually maintenance-free, ODB come as standard on the B16R-7. The enclosed brake system eliminates outside contamination, significantly extending the brake life up to 5 times longer when compared to conventional shoe brakes.

Productivity

Excellent Visibility and Driving Acceleration

Excellent visibility

The precise designed overhead guard profile with angled roof bars provides a clear view upwards whilst ensuring ultimate strength for safety.



Excellent mast visibility

Neatly arranged hydraulic hoses and chains provide clear front visibility through the wide view mast.





Hydraulic lever with directional switch (Option)

The direction switch is located on the hydraulic lever, meaning quick change of forward to backward.



Side Roll in & Out Battery (Option)

Easy to service without efforts. Toll free side panel, easy removal of floor plate and control valve cover.



Productive acceleration & plugging

Reduce initial acceleration for safe & comfortable movement.

Increase acceleration in mid & high-speed for more productive operation.

Smooth and stable plugging



Doosan Corporation Industrial Vehicle 7 Series Electric Forklifts _ 1.25 to 1.6 Tonne Series

Enhanced Safety





LED lights (Option)

Brighter and last longer than traditional sealed beams or halogen lights.



Emergency switch (Option)

The operator can push the emergency switch with one hand on the steering wheel quickly.



Large panoramic mirror (Option)

Provides the operator a clear view of the rear working area, improving working safely & efficiently.



Anti roll back

The controller prevents the forklift from rolling back for 5 seconds when the truck is stopped on a slope.



Automatic speed control

It automatically reduces the travel speed to the optimal speed when cornering, reducing the risk of accidents or damage.



Rear grab handle with horn

Enhances safety, comfort and convenience when traveling in reverse.



Mast lowering inter-lock & Tilt lock (ISO3691) The hydraulic locking

The hydraulic locking system prevents natural lowering and tilting. It safeguards the work array, the truck and the load even if the operator leaves the truck unattended.



OSS (Operator Sensing System)

Whenever the operator leaves the seat, the truck travel and mast lifting functions will stop. This systems avoids any unintended forklift movements when the operator is not seated.

Doosan Corporation Industrial Vehicle 12 7 Series Electric Forklifts _ 1.25 to 1.6 Tonne Series

Better Serviceability

Worldwide service network

Doosan provides high-quality support, relying on its extensive dealer network. No matter where you





Doosan genuine parts

The parts warehouse, supplies high quality Doosan parts to the dealer network.











Brake oil indicator

Check the brake oil level and the display warning indicator on the instrument panel. The reservoir can be accessed easily.



Easy view software

Simply by connecting the laptop to the forklift, a technician can adjust all the parameters to the operator's wishes.

Doosan Corporation Industrial Vehicle 14 15 7 Series Electric Forklifts __ 1,25 to 1.6 Tonne Series

Additional Features





Small steering wheel

The steering wheel has a compact design that reduces operator fatigue.



Moving Front Axle

When extended (by tilting backward)
Safety driving due to larger wheel base,
which provides better stability.

When shortened (by tilting forward)
More excellent maneuverability due to
extremely compact.





Adjustable column

The operator can adjust the position of the column for convenience and comfort.



Premium adjustable seat (Grammer seat, Option)

The full suspension comfort seat is fully adjustable to accommodate every individual preference.

Additional heating system is also available for better operator convenience.



Easy and instinctive instrument panel

Operators can control the truck's performance settings during operation, simply by navigating the instrument panel.



Convenience tray


The convenience tray was conceived by adopting combinations of new and old favorites to give the best operator experience. Some of the features include: a large cup holder, a USB port, 12V power outlet, and a clipboard holder.




Tortoise mode

Operators can select pre defined travel speed setting, without impacting the lifting speed.

This mode ensures safe maneuverability in delicate operating situations.





proposal for your warehouse operation, from reach trucks to stackers, forklifts to pallet trucks and much more. Please contact Doosan to discuss your needs.

A Transport

Transporting is the process of moving product from one point to another. Distance travelled manoeuvrability requirements and the need for multi-tasking play a critical role in determining product selection.

B Bulk Storage

Bulk storage areas allow for storage of large quantities of a similar product. Lift trucks used are typically no wider than the product being stored.

Order picking

Order picking is the process of fulfilling customer orders. The product size, weight and storage method will determine the appropriate lift truck.

Shelving

Full space utilisation of your warehouse also means effective use of steel and wire shelving. Small parts and similar sized materials can be stored efficiently.

E Dock Work

Any application that requires loading and unloading products from a delivery vehicle and staging them for further handling is considered dock work. The particular recommended dock truck will depend on your specific demands and the characteristics of your shipping and receiving areas.

F Rack Storage

Storage rack considerations determine effective vertical storage and product selectivity. The type of lift truck chosen for load handling will require specific aisle width and rack layout parameters.

6 Narrow-Aisle

Narrow aisles offer several benefits by providing better storage utilisation. Less space is required for lift trucks to operate, while productivity and organisational efficiencies also improve. Back-to-back racking allows product to be stored two deep.

⊞ Outdoor

Outdoor work can include tasks that require loading and unloading trucks and trailers, transporting loads and storing goods in racks and bulk locations. The surfaces may be improved but typically include rough terrain, gravel, pot holes, hills, and other obstacles.

Main Specifications


MAJOR SPECIFICATION		B13R-7	B15R-7	B16R-7
Load capacity/rated load	kg	1250	1500	1600(3200)
Load centre distance	mm	500	500	500(24)
Load distance, centre of drive axle to fork	mm	330	330	330
Wheelbase (forward x vertical x back)	mm	1121 x 1145 x 1195	1171 x 1195 x 1245	1171 x 1195 x 1245
Aisle width for pallets 1000 x 1200 crossways	mm	3064	3089	3114
Aisle width for pallets 800 x 1200 lengthways	mm	3186	3211	3236
Turning radius	mm	1415	1440	1465
Travel speed, loaded / unloaded	km/h	12.0 / 13.0	12.0 / 12.5	12.0 / 12.5
Lift speed, loaded / unloaded	mm/sec	300 / 530	290 / 530	290 / 530
Lowering speed, loaded / unloaded	mm/sec	500 / 450	500 / 450	500 / 450
Maximum drawbar pull, loaded / unloaded, 5 minute rating	N	9623 / 9623	9623 / 9623	9623 / 9623
Maximum gradeability, loaded / unloaded, 5 minute rating	%	24 / 25	22 / 25	20 / 25
Battery voltage/nominal capacity K5	V/Ah	24 / 875	24 / 1000	24 / 1000

Standard Features and Optional Extras

SAFETY & STABILITY

Anti roll back	
Automatic speed control	
ISO 3691 Mast lowering inter-lock & tilt lock	
Low battery warning alarm	
OSS(Operator sensing system)	
Emergency stop switch	
LED Lights	
Rear grab handle with horn switch	

OPERATOR COMFORT(ERGONOMICS)



PRODUCTIVITY

High visibility mast	
Hydraulic cushioned valve in secondary cylinder (FFL & FFT)	
Smooth and responsive acceleration and plugging	
Application packages : Cold	
Auto tilt leveling	
Battery changing system (SRIO)	
Direction switch on hydraulic control valve	
Mono-pedal	

DURABILITY & SERVICEABILITY

Full AC system chassis	
IP65 Rated curtis controller	
Oil-cooled disc brakes (ODB)	
Robust frame structure and strong structure overhead guard	
Rugged, durable and maintenance free rear drive axle	
Tool-less side cover with air ventilation	
Wide open battery hood cover	

^{*} Remark: This list is based on factory data. Standard or optional can vary for specific countries.



Optional extras

Doosan Corporation Industrial Vehicle 22 7 Series Electric Forklifts _ 1.25 to 1.6 Tonne Series

About Doosan

Values that drive our future growth

Trust in people is the foundation on which Doosan has built its century of success

Doosan has always put 'People' first for the past 100 years, based on our management philosophies.- 'Business is not meant to make profits, but to help people grow.' (Late Too Pyung Park, First Chairman), and continues to spur corporate development with global competitiveness originated from human resources.

Doosan the oldest, but fastest growing company

Doosan has recorded the longest business history since its inauguration in 1896, but has grown at its most rapid pace for the past 10 years.

Doosan-the global Infrastructure Support Business (ISB) company

Doosan has created in excess of 90% of its sales within the ISB sector through vigorous reorganisation of its business portfolio since 1998. In the past, 70% of our business was concentrated on consumer goods, but we have successfully transformed our business DNA to the infrastructure support business that constructs and reinforces social infrastructure.

Doosan, surging as a global company

Doosan has become the global ISB leader based on its world class products and services. In addition, as a true global company, Doosan's overseas employees encompass 50% of its human resources, and overseas sales take more than over 60% of the total





We remain committed to the advancement of new technologies and development of talented individuals, positioning us to respond effectively to the rapid changes taking place in the 21st century. Our mission is to strengthen our global position and become the industry leader well into the future.



We are committed to our customers, providing superior products and excellent services to go with them into the future.

Committed To Our Customers



Doosan Way

The Doosan Way is our unique way of doing business; the philosophy and culture that will guide us to become the "Proud Global Doosan."



Doosan will be the partner you can count on, always putting our commitment to you first.







- **Production Subsidiary**
- Sales Subsidiary
- Parts Depot Center



Doosan Industrial Vehicles UK Limited

12 Kilvey Road Brackmills Industrial Estate Northampton NN4 7BQ

Tel.: 01604 825 600 Website: www.doosanflt.com

Auth	orized	Deal	٩
Autii	ULIZEU	Deal	C

2018 Dec